Kansas Department on Aging

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	B006003	A. BUILDING: _____ B. WING _____	R 10/18/2022

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
HILLSIDE GUEST HOME	1115 227TH STREET FORT SCOTT, KS 66701

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{S 000}	INITIAL COMMENTS An offsite revisit survey was conducted on 10/18/2022 for all previous deficiencies cited on 10/11/2022. All deficiencies have been corrected as of the compliance date of 10/16/2022, and no new noncompliance was found. The facility is in compliance with all regulations surveyed.	{S 000}		

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE | TITLE | (X6) DATE