Kansas Department on Aging

| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: | (X2) MULTIPLE CONSTRUCTION | (X3) DATE SURVEY COMPLETED |
|---|---|---|---|
| | N024001 | A. BUILDING: _____ B. WING _____ | R 11/14/2023 |

| NAME OF PROVIDER OR SUPPLIER | STREET ADDRESS, CITY, STATE, ZIP CODE |
|---|---|
| MEDICALODGES KINSLEY | 620 WINCHESTER AVENUE KINSLEY, KS 67547 |

| (X4) ID PREFIX TAG | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) | ID PREFIX TAG | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | (X5) COMPLETE DATE |
|---|---|---|---|---|
| {S 000} | INITIAL COMMENTS<br><br>An offsite revisit survey was conducted on 11/14/23 for all previous deficiencies cited on 10/25/23. All deficiencies have been corrected as of the compliance date of 11/14/23 and no new noncompliance was found. The facility is in compliance with all regulations surveyed. | {S 000} | | |

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE | TITLE | (X6) DATE