STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	N087058	A. BUILDING: _____ B. WING _____	01/22/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
CARRINGTON HOUSE CENTRAL	1432 N WACO STREET WICHITA, KS 67230

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
S 000	INITIAL COMMENTS The following citations represent the findings of a resurvey with a complaint #194248, 194802, 195666, 196490, 196867, 196887, and 197653 at the above named Residential Health Care Facility conducted on 01/20/26, 01/21/26 and 01/22/26.	S 000		
S3211 SS=E	26-41-205 (g) (3) OVER THE COUNTER DRUGS (3) A licensed nurse or medication aide may accept over-the-counter medication only in its original, unbroken manufacturer ' s package. A licensed pharmacist or licensed nurse shall place the full name of the resident on the package. If the original manufacturer ' s package of an over-the-counter medication contains a medication in a container, bottle, or tube that can be removed from the original package, the licensed pharmacist or a licensed nurse shall place the full name of the resident on both the original manufacturer ' s medication package and the medication container. This REQUIREMENT is not met as evidenced by: 3311 KAR 26-41-205(g)(3) The facility reported a census of 45 residents. Based on observation and interview the operator failed to ensure a licensed pharmacist or licensed nurse placed the full name of the resident on the original package of over-the-counter (OTC) medications for three	S3211		

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE | TITLE | (X6) DATE

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	N087058	A. BUILDING: _____ B. WING _____	01/22/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
CARRINGTON HOUSE CENTRAL	1432 N WACO STREET WICHITA, KS 67230

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
S3211	Continued From page 1 residents. A total of eight containers of medications were not labeled. Findings included: - On 01/20/26 at 03:35 PM an observation of the 300/400 Hall medication cart revealed the following OTC medications that were not labeled with the full name of the resident: One Centrum Silver Women 50 plus One 3 fluid (fl.) ounce (oz.) spray can of Biofreeze One Nature's Bounty Fish Oil 1000 milligrams (mg.) One 4 fl. oz. Robitussin Honey One 16 fl. oz. bottle of GeriCare Milk of Magnesia One bottle of Spring Valley B12 One bottle of Nature's Bounty Melatonin 5 mg. One bottle of Tylenol Extra Strength A policy was requested on 01/22/26 but it did not address the labeling of OTC medications. The operator failed to ensure all over-the-counter medications were labeled with the resident's full name.	S3211		
S3215 SS=F	26-41-205 (h) Medication Storage (h) Storage. Licensed nurses and medication aides shall ensure that all medications and biologicals are securely and properly stored in accordance with each manufacturer ' s recommendations or those of the pharmacy provider and with federal and state laws and regulations.	S3215		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	N087058	A. BUILDING: _____ B. WING _____	01/22/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
CARRINGTON HOUSE CENTRAL	1432 N WACO STREET WICHITA, KS 67230

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
S3215	Continued From page 2 (1) Licensed nurses or medication aides shall store non-controlled medications and biologicals managed by the facility in a locked medication room, cabinet, or medication cart. Licensed nurses and medication aides shall store controlled medications managed by the facility in separately locked compartments within a locked medication room, cabinet, or medication cart. Only licensed nurses and medication aides shall have access to the stored medications and biologicals. (2) Each resident managing and self-administering medication shall store medications in a place that is accessible only to the resident, licensed nurses, and medication aides. (3) Any resident who self-administers medication and is unable to provide proper storage as recommended by the manufacturer or pharmacy provider may request that the medication be stored by the facility. (4) A licensed nurse or medication aide shall not administer medication beyond the manufacturer ' s or pharmacy provider ' s recommended date of expiration. This REQUIREMENT is not met as evidenced by: 3215 KAR 26-41-205(h) The facility reported a census of 45 residents. Based on observation and interview, the operator failed to ensure all medications and biologicals were properly stored in accordance with each manufacturer's recommendations.	S3215		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	N087058	A. BUILDING: _____ B. WING _____	01/22/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
CARRINGTON HOUSE CENTRAL	1432 N WACO STREET WICHITA, KS 67230

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
S3215	Continued From page 3 Findings included: - On 01/20/26 at 03:52 PM an observation of the medication room refrigerator revealed two vials of Tubersol that were opened but not dated. On 01/20/26 at 03:52 PM Administrator Nurse A acknowledged the vials of Tubersol were opened but not dated. The vials of Tubersol, the original packaging they came in and the product inserts all documented the vials should be discarded after 30 days if they had been opened and in use. The operator failed to ensure medications and biologicals were stored in accordance with manufacturer's recommendations.	S3215		
S3320 SS=F	28-39-254 CONSTRUCTION (a) The assisted living facility or residential health care facility shall be designed, constructed, equipped and maintained to protect the health and safety of residents, personnel and the public. (b) All new construction, renovation, remodeling and changes in building use in existing buildings shall comply with building and fire codes, ordinances and regulations enforced by city, county, and state jurisdictions, including the state fire marshal. (c) New construction, modifications and equipment shall conform to the following codes	S3320		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	N087058	A. BUILDING: _____ B. WING _____	01/22/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
CARRINGTON HOUSE CENTRAL	1432 N WACO STREET WICHITA, KS 67230

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
S3320	Continued From page 4 and standards: (1) Title III of the Americans with disabilities act, 42 U.S.C. 12181, effective as of January 26, 1992; and (2) "Food Service Sanitation Manual," health, education, and welfare (HEW) publication no. FDA 78-2081, as in effect on July 1, 1981. This REQUIREMENT is not met as evidenced by: 3320 KAR 28-39-254 (a) The facility reported a census of 45 residents. Based on observation, and record review the operator failed to ensure staff secured all chemicals to maintain the safety of all residents. Findings included: - On 01/20/26 at 02:26 PM an observation of the 200 Hall "Janitor Closet" revealed the following unlocked chemicals: One quart of Jaso Mineral Spirits Two tubes of Mapei Ultrabond ECO 575 adhesive One gallon can of Sherwin Williams ProMar 400 paint One gallon of Mapei Ultrabond ECO 811 adhesive One 30 fluid ounce (oz.) tube of TEC Wall Base Adhesive One gallon of Zinsser Mold Kill Primer In addition to numerous other chemicals with	S3320		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	N087058	A. BUILDING: _____ B. WING _____	01/22/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
CARRINGTON HOUSE CENTRAL	1432 N WACO STREET WICHITA, KS 67230

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
S3320	Continued From page 5 "KEEP OUT OF REACH OF CHILDREN" warning labels. At 02:32 PM an observation of the unlocked mechanical closet on 200 Hall had an eight fluid ounce can of Oatey Rein-R-Shine Medium Blue PVC Cement. At 02:35 PM an observation of the 300 Hall "Janitor Closet" had a one-gallon container of ACS Bacterial Digest. At 02:39 PM an observation of the unlocked 300 Hall "Electrical Closet" revealed a 28.7 oz. tube of Mapei Ultrabond ECO 575 wall-base adhesive. At 02:47 PM an observation of the unlocked 400 Hall "Electrical Closet" had a 13 oz. spray can of Zinsser Covers Up Ceiling paint. At 02:49 PM an observation of the unlocked 400 Hall "Janitor Closet" had the following unlocked chemicals: 36 oz. bottle of Soft Scrub Cleanser with Bleach A gallon can of Sherwin Williams Super Paint and Primer Two-gallon containers of Homax Roll-on Texture as well as other chemicals. At 02:51 PM an observation of the unlocked "Maintenance Room" revealed the following: One 14 oz. spray can of Flex Seal Clear One 32 fl. oz. spray bottle of Zep Glass Cleaner One 14 oz. spray can of Homax Ceiling Texture One 16 oz. container of Gentrol insecticide One 12 oz. spray can of DAP Touch n foam sealant plus numerous other chemicals.	S3320		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	N087058	A. BUILDING: _____ B. WING _____	01/22/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
CARRINGTON HOUSE CENTRAL	1432 N WACO STREET WICHITA, KS 67230

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
S3320	Continued From page 6 The undated "Chemical Storage" policy documented, "All chemicals used or stored within the facility must be ...stored securely ...Chemicals must never be accessible to residents ..." The operator failed to ensure staff kept chemicals locked for resident safety.	S3320		